

TRACK LIGHT



MARC-B

850.-

DIA 60 mm. H 130 mm.



GU10x1
Matt white/ Matt black

IP 20

- Surface mounted type
Aluminium Body
Accessories : Honeycomb, Frosted glass
Clear glass

MARC-T

850.-

DIA 60 mm. H 130 mm.



GU10x1
Matt white/ Matt black

IP 20

- Aluminium Body
Use with 1 phase track only
Accessories : Honeycomb, Frosted glass
Clear glass



TRACK LIGHT



ATLAS

1000.-

DIA 60 mm. H 140 mm.



GU10x1
Matt white/ Matt black

IP 20

- Aluminium Body
Use with 1 phase track only
Honeycomb included

ZEE

850.-

DIA 55 mm. H 90 mm.



GU10x1
Matt white/ Matt black

IP 20

- Aluminium Body
Use with 1 phase track only
Accessories : Honeycomb, Frosted glass
Clear glass



TRACK LIGHT



ASTER-S

1200.-

DIA 65 mm. H: 120 mm.



MR16x1
Matt white/ Matt black

IP 20

- Aluminium Body
Driver not included
Use with 1 phase track only

TEMP

750.-

DIA 55 mm. H: 115 mm.



MR16x1
Matt white/ Matt black

IP 20

- Aluminium Body
Driver not included
Use with 1 phase track only



MICK

750.-

DIA 60 mm. H: 150 mm.



GU10x1
Matt white/ Matt black

IP 20

- Aluminium Body
Use with 1 phase track only

TRACK LIGHT



BIT

450.-

DIA 58 mm. H: 75 mm.



GU10x1
Matt white/ Matt black

IP 20

- Aluminium Body
Use with 1 phase track only

MATTY

750.-

DIA 55 mm. H: 100 mm.



GU10x1
Matt white/ Matt black

IP 20

- Aluminium Body
Use with 1 phase track only



MINN

750.-

DIA 60 mm. H: 112 mm.



GU10x1
Matt white/ Matt black

IP 20

- Surface mounted type
Aluminium Body

TRACK LIGHT



BAZOO-1

1500.-

DIA 56 mm. H 151 mm.



GU10x1
Matt white/ Matt black

IP 20



Aluminium Body
Use with 1 phase track only

BAZOO-2

2000.-

DIA 56 mm. H 151 mm.



GU10x2
Matt white/ Matt black

IP 20



Aluminium Body
Use with 1 phase track only



TRACK LIGHT



GEO-S

550.-

DIA 80 mm. H 110 mm.



PAR20x1
Matt white/ Matt black

IP 20



Aluminium Body
Use with 1 phase track only

GEO-L

600.-

DIA 100 mm. H 140 mm.



PAR30Lx1
Matt white/ Matt black

IP 20



Aluminium Body
Use with 1 phase track only



TRACK LIGHT

**BASKET****600.-**

DIA 80 mm. H 110 mm.

PAR30x1
Matt white/ Matt black**IP 20**Aluminium Body
Use with 1 phase track only**GROOVE****600.-**

DIA 100 mm. H 140 mm.

PAR30Lx1
Matt white/ Matt black**IP 20**Aluminium Body
Use with 1 phase track only



ASTER-M

2000.-

DIA 77 mm. H 182 mm.



LED COB 20W 1600lm



3000K, 4000K, 6000K
Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only

ASTER-L

2500.-

DIA 85 mm. H 182 mm.



LED COB 30W 2400lm



3000K, 4000K, 6000K
Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only



TRACK LIGHT



NITRO-S

750.-

DIA 65 mm. H 102 mm.



LED COB 10W 800lm

3000K, 4000K, 6500K
Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only

NITRO-M

1500.-

DIA 90 mm. H 185 mm.



LED COB 20W 1600lm

3000K, 4000K, 6500K
Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only



NITRO-L

2000.-

DIA 90 mm. H 185 mm.



LED COB 30W 2400lm

3000K, 4000K, 6500K
Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only



TRACK LIGHT



TOYO-S

1500.-

DIA 50 mm. H 140 mm.



LED COB 12W 960lm

15°-60° 3000K, 4000K, 6500K
Matt white/ Matt black

IP 20

- Adjustable beam angle 15D-60D
- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only

TOYO-M

2000.-

DIA 75 mm. H 165 mm.



LED COB 20W 1600lm

15°-60° 3000K, 4000K, 6500K
Matt white/ Matt black

IP 20

- Adjustable beam angle 15D-60D
- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only



TOYO-L

2500.-

DIA 75 mm. H 165 mm.



LED COB 30W 2400lm

15°-60° 3000K, 4000K, 6500K
Matt white/ Matt black

IP 20

- Adjustable beam angle 15D-60D
- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only

TRACK LIGHT



IRIS-S

1000.-

DIA 66 mm. H 135 mm.



LED COB 10W 800lm

3000K, 4000K, 6500K
Matt white/ Matt black

IP 20



Aluminium Body

Driver included

Non-Dim

Use with 1 phase track only

IRIS-M

1500.-

DIA 76 mm. H 138 mm.



LED COB 20W 1600lm

3000K, 4000K, 6500K
Matt white/ Matt black

IP 20



Aluminium Body

Driver included

Non-Dim

Use with 1 phase track only



IRIS-L

2000.-

DIA 88 mm. H 146 mm.



LED COB 30W 2400lm

3000K, 4000K, 6500K
Matt white/ Matt black

IP 20



Aluminium Body

Driver included

Non-Dim

Use with 1 phase track only

TRACK LIGHT



VIRNEA-XS

800.-

DIA 55 mm. H 90 mm.



LED COB 7W 560lm



3000K

Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only

VIRNEA-S

1500.-

DIA 65 mm. H 110 mm.



LED COB 12W 1050lm



3000K, 4000K

Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only



TRACK LIGHT



VIRNEA-M

1850.-

DIA 75 mm. H 130 mm.



LED COB 20W 1440lm



3000K, 4000K, 6000K
Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only

VIRNEA-L

2250.-

DIA 95 mm. H 140 mm.



LED COB 30W 2400lm



3000K, 4000K, 6000K
Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only



TRACK LIGHT



COWELL

2500.-

DIA 115×25 mm. H: 135 mm.



LED COB 12W 1080lm

3000K, 4000K

Matt white/ Matt black



IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only

META-T

1350.-

DIA 67x61 mm. H: 59 mm.



LED COB 8W 715lm

3000K, 4000K

Matt white/ Matt black



IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only



META-B

1350.-

DIA 67x61mm. H: 59mm.



LED COB 8W 715lm

3000K, 4000K

Matt white/ Matt black



IP 20

- Surface mounted type
- Aluminium Body
- Driver included
- Non-Dim



TRACK LIGHT



VIEW-S

1500.-

DIA 50 mm. H 1120 mm.



LED COB 12W 1050lm

3000K, 4000K

Matt white/ Matt black

IP 20



Aluminium Body

Driver included

Non-Dim

Use with 1 phase track only

VIEW-M

2000.-

DIA 80 mm. H 145 mm.



LED COB 20W 1600lm

3000K, 4000K, 6500K

Matt white/ Matt black

IP 20



Aluminium Body

Driver included

Non-Dim

Use with 1 phase track only



VIEW-L

2500.-

DIA 80 mm. H 145 mm.



LED COB 30W 2400lm

3000K, 4000K, 6500K

Matt white/ Matt black

IP 20



Aluminium Body

Driver included

Non-Dim

Use with 1 phase track only



TRACK LIGHT



JUNIPER-D

2000.-

DIA 35x338 mm. H 46 mm.



LED COB 20W 1600lm

3000K, 4000K

Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only

JUNIPER-F

2000.-

DIA 35x338 mm. H 46 mm.



LED COB 20W 1600lm

3000K, 4000K


Matt white/ Matt black

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only



TRACK LIGHT



60°



SUPER T1

3500.-

DIA: 40x65mm. L: 1265mm.



LED SMD 75W 9000lm

3000K, 4000K, 6000K
Matt white



IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only

SUPER T2

3500.-

DIA: 40x65mm. L: 1265mm.




LED SMD 75W 9000lm

2x30° 3000K, 4000K, 6000K
Matt white

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Use with 1 phase track only



Dual polarization



SUPER T3

6000.-

DIA: 90.5x97.5mm. L: 1108mm.




LED SMD 2x40W 2x5600lm

3000K, 4000K, 6000K
Matt white



IP 20

- Surface mounted type
- Aluminium Body
- Driver included
- Non-Dim



60°



45° 45°



www.speclight.co.th

TRACK LIGHT



TOYY

1500.-

DIA 52 mm. H 147 mm.



LED COB 12W 1020lm

3000, 4000K

Matt white/ Matt black

IP 20

- Surface mounted type
- Aluminium Body
- Driver included
- Non-Dim

KERRI-B

1200.-

DIA 90 mm. H 130 mm.



GU10x1

Matt white/ Matt black

IP 54

- Surface mounted type
- Aluminium Body



TRACK LIGHT



RAZOR-M

1500.-

DIA 75 mm. H 130 mm.



LED COB 20W 1440lm



3000K, 4000K, 6000K
Matt white/ Matt black

IP 20

- Surface mounted type
- Aluminium Body
- Driver included
- Non-Dim

RAZOR-L

2000.-

DIA 90 mm. H 130 mm.



LED COB 30W 2400lm



3000K, 4000K, 6000K
Matt white/ Matt black

IP 20

- Surface mounted type
- Aluminium Body
- Driver included
- Non-Dim



TRACK LIGHT



VIVA-S1

600.-

DIA 60 mm. H: 120 mm.



GU10x1
Matt white/ Matt black

IP 20

- Surface mounted type
Aluminium Body

VIVA-S2

1350.-

DIA 250x75 mm. H: 120 mm.



GU10x2
Matt white/ Matt black

IP 20

- Surface mounted type
Aluminium Body



VIVA-S3

1850.-

DIA 450x75 mm. H: 120 mm.



GU10x3
Matt white/ Matt black

IP 20

- Surface mounted type
Aluminium Body

TRACK LIGHT



KATO-S **2000.-**

DIA 33x138 mm. H 95 mm.



LED COB 5x2W 800lm

3000K, 4000K

Matt black/ Matt white



Surface mounted type

Adjustable 2 sides

Aluminium Body

Driver included

Non-Dim

KATO-M **3000.-**

DIA 33x270 mm. H 95 mm.



LED COB 10x2W 1600lm

3000K, 4000K

Matt black/ Matt white



Surface mounted type

Adjustable 2 sides

Aluminium Body

Driver included

Non-Dim



TRACK LIGHT

1-PHASE TRACK

Aluminium 1phase 2wires track

1m.	Size : 33x20x1000 mm.	350.-
1.5m.	Size : 33x20x1500 mm.	525.-
2m.	Size : 33x20x2000 mm.	700.-

● Color : White/ Black



TRACK CONNECTOR

1phase 2wires track light connector

I-Shape Connector	100.-
L-Shape Connector.	150.-
T-Shape Connector	210.-
X-Shape Connector	250.-
Power feed+End feed	180.-

● Color : White/ Black



TRACK LIGHT



1-PHASE RECESSED TRACK

1phase 2wires aluminium recessed track

- 1m. Size : 59.7x20.7x1000 mm. **500.-**
- 1.5m. Size : 59.7x20.7x1500 mm. **750.-**
- 2m. Size : 59.7x20.7x2000 mm. **1000.-**

● Color : White/ Black

RECESSED TRACK CONNECTOR

1phase 2wires recessed track light connector

- I-Shape Connector **200.-**
- L-Shape Connector. **300.-**
- T-Shape Connector. **350.-**
- X-Shape Connector. **400.-**
- Power feed+End feed **300.-**

● Color : White/ Black



TRACK LIGHT



3-PHASE TRACK

3 phase 4wires aluminium track

1m. Size : 32x33x1000 mm. **1150.-**

1.5m. Size : 32x33x1500 mm. **1750.-**

2m. Size : 32x33x2000 mm. **2250.-**

● Color : White/ Black

TRACK CONNECTOR

3phase 4wires recessed track light connector

I-Shape Connector **350.-**

L-Shape Connector. **350.-**

Power feed+End feed **350.-**

● Color : White/ Black



TRACK LIGHT



JUNE-S

2000.-

DIA 23x135 mm. H 60 mm.



LED COB 5x2W 800lm

3000K, 4000K
Matt black

IP 20



Adjustable 1 side
Aluminium Body
Driver included
Non-Dim
Use with Magnetic track only

JUNE-M

3000.-

DIA 23x270 mm. H 60 mm.



LED COB 10x2W 1600lm

3000K, 4000K
Matt black

IP 20



Adjustable 1 side
Aluminium Body
Driver included
Non-Dim
Use with Magnetic track only



JUNE-L

4000.-

DIA 23x405 mm. H 60 mm.



LED COB 15x2W 2400lm

3000K, 4000K
Matt black

IP 20



Adjustable 1 side
Aluminium Body
Driver included
Non-Dim
Use with Magnetic track only

TRACK LIGHT



MESA-S

1650.-

DIA 24x115 mm. H 60 mm.



LED COB 6x1.5W 900lm
3000K, 4000K
Matt black



IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Use with Magnetic track only

MESA-M

2950.-

DIA 24x230 mm. H 60 mm.



LED COB 12x1.5W 1800lm
3000K, 4000K
Matt black



IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Use with Magnetic track only



MESA-L

3500.-

DIA 24x345 mm. H 60 mm.



LED COB 18x1.5W 2700lm
3000K, 4000K
Matt black



IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Use with Magnetic track only



TRACK LIGHT



MEENA-S

1650.-

DIA 24x300 mm. H 40 mm.



LED SMD 10W 800lm
3000K, 4000K
Matt black



IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Use with Magnetic track only

MEENA-M

2950.-

DIA 24x600 mm. H 40 mm.



LED SMD 20W 1600lm
3000K, 4000K
Matt black



IP 20



- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Use with Magnetic track only

MEENA-L

3500.-

DIA 24x900 mm. H 40 mm.




LED SMD 30W 2400lm
3000K, 4000K
Matt black



IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Use with Magnetic track only



TRACK LIGHT



TULA-S

2000.-

DIA 25x112 mm. H 135 mm.



LED COB 6x2W 1100lm

3000K, 4000K
Matt black

IP 20

- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim
- Use with Magnetic track only

TULA-M

3000.-

DIA 25x230 mm. H 135 mm.



LED COB 12x2W 2150lm

3000K, 4000K
Matt black

IP 20

- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim
- Use with Magnetic track only



TRACK LIGHT

NEW



ADEN-S

2000.-

DIA 37x135 mm. H 28 mm.



LED COB 5x2W 800lm

3000K

Matt black



IP 20

- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim
- Use with Magnetic track only

ADEN-M

3000.-

DIA 37x268 mm. H 28 mm.



LED COB 10x2W 1600lm

3000K

Matt black



IP 20

- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim
- Use with Magnetic track only

NEW




TRACK LIGHT




SEPT-GU10

1200.-

DIA 55 mm. H 105 mm.

 GU10x1
Matt black

IP 20

-  Aluminium Body
Use with Magnetic track only


SEPT-S

1500.-

DIA 40 mm. H 80 mm.

 **LED COB 3W 235lm**
 3000K, 4000K
Matt black

IP 20

-  Aluminium Body
Driver included
Non-Dim
Use with Magnetic track only




SEPT-M

2250.-

DIA 50 mm. H 108 mm.

 **LED COB 12W 924lm**
 3000K, 4000K
Matt black

IP 20

-  Aluminium Body
Driver included
Non-Dim
Use with Magnetic track only

TRACK LIGHT

RECESSED MAGNETIC TRACK

Aluminium 1phase 2wires magnetic track

1m.	Size : 33x50x1000 mm.	1250.-
1.5m.	Size : 33x50x1500 mm.	1875.-
2m.	Size : 33x50x2000 mm.	2500.-

● Color : Black




MAGNETIC TRACK CONNECTOR

Magnetic track connector

I-Shape Connector	300.-
L-Shape Connector	1000.-
T-Shape Connector	1200.-
X-Shape Connector	1350.-
Power cord	300.-

● Color : Black



TRACK LIGHT

MAGNETIC TRACK CONNECTOR

Flexible Magnetic track connector

2 ways Flexible Connector	700.-
3 ways Flexible Connector	800.-
4 ways Flexible Connector	1000.-



● Color : Black

